



Plus ULTRA FLOW 100

Technical features



EFFICIENCY ●●●○○
 VISIBILITY ●●●●● SOUND LEVEL ●●●○○
 WIND RESISTANCE ●●●●○ SPLASH / MIST ●●●○○

spectacular results can be achieved .
 The heavy duty, all stainless steel housing
 also incorporates a flow valve for spray
 height adjustment and each nozzle's swivel
 permits easy alignment of the streams .
 It comes with square or round cover, it is
 flush mounted and it is absolutely safe to
 walk on top of it. The entire .




Dimensions [mm]	Ø350 mm
Nominal Voltage [V]	24 VDC
Power (SWITCHING SYSTEM) [W]	18 W
Current [A] uni color / RGB	1.4/1.75 A
Lighting Control	DMX / open source controller
Water connections [INCH]	1"
Jet diameter [mm]	12: 20 mm
Material	ST.ST 304 / ST.ST 316L on request
Protection class	IP68


Spray Height [m]	Lpm	m
0.5	24	4.2
0.75	28	4.5
1	32	4.9
1.25	38.2	5.3
1.5	40	5.4
1.75	44.6	5.9
2	47	6.4
2.5	52	6.8
3	60	7.5
3.5	64	8.2
4	68	8.7



Plus
ULTRA FLOW 100
SQ.DIMENSIONS



Plus
ULTRA FLOW 100
RN.DIMENSIONS





Plus
ULTRA FLOW 100